1999 Summary of Indiana Solid Waste Facility Data





Indiana Department of Environmental Management Office of Land Quality 100 North Senate Avenue - P.O. Box 6015 Indianapolis, Indiana 46206-6015 The 1999 Summary of Indiana Solid Waste Facility Data is the eighth in the series of annual reports of solid waste facility activities in Indiana. The information is compiled from solid waste facility quarterly reports submitted to the Indiana Department of Environmental Management (IDEM). The IDEM Office of Land Quality publishes the 1999 Summary of Indiana Solid Waste Facility Data to provide information to the public about solid waste processing and disposal activities in Indiana. This report was prepared by staff of the Facilities Data Analysis Section.

Contributors: Minerva Mercado Feliciano

Richard Worth

Project Coordinator: Minerva Mercado Feliciano

Cover Photo: Anup Raychowdhury (Leachate evaporation system at Earthmovers Landfill, Elkhart County)

For additional information or to obtain additional copies of this report, please call the IDEM Office of Land Quality at (317) 233-3834.

An electronic version of this document is available at http://www.state.in.us/idem/olq/publications/far99

Table of Contents

	page
NTRODUCTION	. 1
SOLID WASTE DATA FRAMEWORK	. 3
Solid Waste Types	
Solid Waste Facilities	
Origin of Waste	7
SOLID WASTE LAND DISPOSAL FACILITIES	11
Municipal Solid Waste Landfills	
Other Solid Waste Land Disposal Facilities	
SOLID WASTE PROCESSING FACILITIES	21
Solid Waste Incinerators	21
Transfer Stations	22
Other Processing Facilities	24
OUT-OF-STATE WASTE	25
999 SOLID WASTE FACILITY PROFILES	287
Ordered alphabetically by county location of facility)	

List of Figures

		page
Figure 1:	Solid Waste Categories in Facility Quarterly Reports Since 1996	. 4
Figure 2:	Municipal Solid Waste Landfill Ownership by Percent during 1999	. 7
Figure 3:	Waste Disposal Pathways	
Figure 4:	Disposal of Solid Waste by Landfill Type during 1999	11
Figure 5:	Disposal of Solid Waste by Waste Type during 1999	11
Figure 6:	Annual Disposal at All Solid Waste Land Disposal Facilities	
Figure 7:	Disposal of Solid Waste at Municipal Solid Waste Landfills by	
	Waste Type during 1999	13
Figure 8:	Annual Disposal at Municipal Solid Waste Landfills	14
Figure 9:	Annual Disposal at Municipal Solid Waste Landfills by Waste Origin	14
Figure 10:	Distribution of Disposal at Municipal Solid Waste Landfills during 1999	15
Figure 11:	Annual Disposal at Construction-Demolition Landfills by Waste Origin	17
Figure 12:	Annual Disposal at Restricted Waste Landfills by Waste Type	18
Figure 13:	Transfer Station Waste Management	22
Figure 14:	Destination of Waste Sent from Transfer Stations during 1999	23
Figure 15:	Annual Waste Imports by Region of Origin	25
Figure 16:	Annual Waste Imports by State of Origin	27
Figure 17:	Annual Amount of Out-of-State Waste Received by Solid Waste Facilities	28
Figure 18:	Distribution of Disposal of Out-of-State Waste Received at	
	Indiana Final Disposal Facilities	29
Figure 19:	Origin of Waste Disposed and Incinerated in Indiana during 1999	31

List of Tables

		page
Table 1:	Sources of Solid Waste Data	2
Table 2:	Solid Waste Classification Guide during 1999	
Table 3:	Number of Solid Waste Facilities Which Operated during 1999	
Table 4:	Types of Landfills and Incinerators	
Table 5:	Waste Tons Disposed in Indiana, by Estimated County of Origin	
Table 6:	Disposal of Solid Waste by Landfill Type and Waste Type during 1999	11
Table 7:	Annual Disposal at Solid Waste Land Disposal Facilities by Landfill Type and	
	Waste Type (Includes waste imports to Indiana)	12
Table 8:	Annual Disposal at Solid Waste Land Disposal Facilities by Landfill Type and	
	Waste Type (Excludes waste imports to Indiana)	12
Table 9:	Total Disposal at Municipal Solid Waste Landfills during 1999	16
Table 10:	Total Disposal at Construction-Demolition Landfills during 1999	
Table 11:	Total Disposal at Restricted Waste Landfills during 1999	
Table 12:	Total Disposal at Nonmunicipal Solid Waste Landfills during 1999	19
Table 13:	Solid Waste Received by Processing Facilities by	
	Waste Type during 1999	21
Table 14:	Annual Amount of Solid Waste Received by Processing Facility Type and	
	Waste Type	21
Table 15:	Total Waste Received at Incinerators during 1999	22
Table 16:	Destination of Waste Sent from Transfer Stations for Final Disposal	23
Table 17:	Out-of-State Waste Received during 1999	26
Table 18:	Amount of Out-of-State Waste Received by Solid Waste Facilities by	
	Facility Type and Waste Type during 1999	27
Table 19:	Annual Amount of Out-of-State Waste Received by Solid Waste Facilities by	
	Facility Type and Waste Type	28
Table 20:	Total Out-of-State Waste Received by Facility during 1999	30
Table 21:	Out-of-State Waste Received by Indiana Solid Waste Facilities during 1999	

INTRODUCTION

This report is the eighth annual summary of Indiana's solid waste facility data. It is intended to provide information about Indiana's solid waste management. The report provides solid waste facility information for 1999 and contains:

- # a summary of existing solid waste facilities;
- # a summary of the amount, origin, and types of solid waste received at land disposal facilities and processing facilities; and
- # a summary of out-of-state waste imports.

This report was compiled from the solid waste facility quarterly reports submitted to IDEM by owners and operators of facilities that manage non-hazardous solid waste. Rules passed by the Solid Waste Management Board require all solid waste land disposal facilities (329 IAC 10-14-1) and processing facilities (329 IAC 11-14-1) to submit information to IDEM on a quarterly basis describing the origin, type, and amount of solid waste received by these facilities. Processing facilities must also report the amount and destination of wastes that are transported off-site for recovery or disposal. Reports submitted to IDEM are on file and available for public review in the IDEM File Room.

This report emphasizes graphs, tables, and figures. Discussion text is included only as necessary to guide the reader through the report and to provide a context for the graphs and tables. Several sections that were included in previous releases of this report are not present in this year's report. Much of the information in these sections has been duplicated from year to year and/or is available in other IDEM publications. Table 1 shows how to obtain this information in addition to other information that may interest readers of this report.

Previous reports summarized municipal solid waste (MSW) landfill capacity from amounts reported by facilities or from estimates made by IDEM. Beginning in 1996, landfills were required by regulation to submit contour maps annually based on surveys conducted between October 1 and December 31 of each year. IDEM uses this information to calculate accurate and precise totals for both airspace and waste capacity. Capacity data for 1997 through 1999 for MSW landfills is expected to be available in a separate IDEM report.

In 1996, IDEM began utilizing revised report forms to provide more detailed nonmunicipal waste information. Changes included the addition of waste categories for foundry wastes, coal ash, and flue gas desulfurization by-products. Prior to 1996, this report summarized nonmunicipal waste only as construction-demolition waste and special/other waste. Because of this, certain nonmunicipal waste types reported since 1996 could not be compared with previous years since those types were not individually reported. Therefore, annual comparisons of disposal by waste type is grouped by municipal waste and nonmunicipal waste in this report. However, information concerning solid waste disposal since 1996 includes all reported waste types.

Table 1. Sources of Solid Waste Data

Information Available	Description	Contact
Land disposal facility quarterly reports	Origin, type, and tonnage of solid waste received. *	Minerva Mercado (317) 233-3834
Processing facility quarterly reports	Origin, type, and tonnage of solid waste received and destination information. *	Minerva Mercado (317) 233-3834
Industrial waste quarterly reports	Amount of industrial waste disposed at Indiana municipal landfills	Joyce Billington (317) 308-3131
Composting facility annual reports	Type and volume of compost received and processed. *	Minerva Mercado (317) 233-3834
Transfer station inspection annual reports	Results from inspections of incoming waste for special, infectious, and hazardous waste	Kristi Dixon (317) 308-3391
Waste tire storage facility annual reports	On-site summary of incoming and outgoing tires	Steve Poe (317)308-3112
Municipal waste transportation manifests	Waste generation, transportation, and disposal information that accompanies waste from processing facilities for final disposal	Richard Worth (317) 233-5156
Indiana MSW landfill disposal capacity reports	Remaining air space and disposal space at Indiana land disposal facilities	Richard Worth (317) 233-5156
Solid waste management fee reports (IDOR)	Monthly report showing fees collected for solid waste disposed at final disposal facilities	Pat Williams (317) 232-1859
Solid waste disposal fee reports (IDEM)	Semi-annual report showing fees collected for the disposal of specific types of solid waste	Pat Beeler (317) 233-0408
Solid waste management district annual reports	Information on district programs and activities	Minerva Mercado (317) 233-3834
Indiana solid waste diversion goals	Indiana's progress toward meeting its 35%/50% solid waste diversion goals *	Minerva Mercado (317) 233-3834
Permitted solid waste facilities list	List of permitted solid waste facilities in Indiana *	Debby Baker (317) 232-0066

^{*} Online search and/or data download available at: http://www.state.in.us/idem/olq/site_information/requests

SOLID WASTE DATA FRAMEWORK

Several factors must be considered when discussing solid waste disposal in Indiana:

- # type and quantity of the waste disposed;
- # type and ownership of the facility which received the waste; and
- # origin of the waste received.

The following pages give an overview of key concepts necessary for understanding solid waste disposal data.

Solid Waste Types

Solid waste can be broadly categorized as either hazardous waste or non-hazardous waste. This report deals only with **non-hazardous waste**, which can be further broken down into municipal solid waste and all other non-hazardous solid waste. **Municipal solid waste**, or MSW, is any solid waste generated by community activities or the operation of residential or commercial establishments (329 IAC 10-2-115). Non-hazardous waste that is not MSW has been historically subdivided into categories such as **construction-demolition debris**, **special waste**, and other "nonmunicipal" waste types. In 1996, several categories of solid waste were added to the Facility Quarterly Report forms to provide more detailed waste information. Figure 1 shows the solid waste categories used since 1996. A more detailed explanation of these types is provided in Table 2.

Solid Waste Facilities

Solid waste facilities in Indiana fall into two broad permit categories: land disposal facilities and processing facilities. Each category can be further subdivided. **Land disposal facilities** are subdivided into four types: municipal solid waste (MSW) landfills, construction-demolition sites, restricted waste landfills (types 1 through 4), and nonmunicipal solid waste landfills. **Solid waste processing facilities** permitted by IDEM can be incinerators, transfer stations, solid waste balers, solid waste shredders, resource recovery systems, or garbage grinding facilities (329 IAC 11-2-43). Table 3 summarizes the number of permitted solid waste facilities that submitted data reports to IDEM during 1999.

Land Disposal Facilities

Municipal solid waste landfills (MSWLFs) can accept a wide range of solid wastes disposed from residential, commercial, institutional, and industrial sources, except hazardous waste regulated under 329 IAC 3.1. Special waste can be accepted at MSWLFs only in accordance with 329 IAC 10-8.1. Of the four landfill types, only MSWLFs can accept municipal solid wastes (Table 4).

Construction-demolition sites accept only construction or demolition waste materials (329 IAC 10-9-3).

Table 2. Solid Waste Classification Guide during 1999

ТҮРЕ	GENERAL CATEGORIES	EXAMPLES				
Municipal Solid Waste (MSW)	C Residential - Single- and multi-family units - Other (campgrounds, parks, etc.) C Commercial - Retail and wholesale - Service industry C Institutional - Prisons, hospitals, schools, and universities - Government sector C Industrial non-process / municipal - Offices, lunchrooms, restrooms - Shipping / Receiving activities	- Food wastes - Office wastes - Yard trimmings / vegetation - White goods (appliances) - Automobile parts - Waste tires - Small animal carcasses - Medical wastes	 Used pallets Cardboard Furniture Exempt special wastes (generated by a single generator in quantities less than 100 kilograms per month and disposed of in quantities less than 100 kilograms per shipment) CESQG wastes 			
C/D	© Construction / Demolition - Construction industry - Demolition companies	- Uncontaminated solid waste resulting from the construction, remodeling, repair or demolition of structures. For example:Scrap lumber, wallboard	Roofing materials Plumbing and electrical fixtures Bricks, concrete, glass Non-asbestos insulation			
Foundry	C Foundry Waste	- Waste sand, slag, sludge, core w	aste, dust fines, etc.			
Special Other	 C Special (excluding foundry wastes) Industrial process Pollution control Sludges Waste requiring special waste certification 	- Manufacturing process wastes	- Industrial sludges			
Coal Ash	C Coal Ash	- Coal ash - Fly ash, bottom ash, etc.	- Ash resulting from the combustion of coal			
FGD Waste	C Flue gas desulfurization byproducts	Scrubber / FGD sludgePollution control sludges resulting	ng from coal combustion			
Other	C Any other solid waste not regulated as any of the above.	Oil / gas/ mining wastesPesticide containers	- Railroad ties			

CESQG = conditionally exempt small quantity generator PCB = polychlorinated biphenyl FGD = flue gas desulfurization

Figure 1. Solid Waste Categories in Facility Quarterly Reports since 1996




Table 3. Number of Permitted Solid Waste Facilities Operating during 1999

A. Land Disposal Facilities

Municipal Solid Waste Landfills

Construction-Demolition Sites⁽²⁾

Restricted Waste Landfills⁽³⁾

• Privately Owned

• Publicly Owned⁽¹⁾

38 27 11 11

4

72

TOTAL (1) Includes Belmont Ash Monofill which receives municipal incinerator ash.

Nonmunicipal Solid Waste Landfills (3)

- (2) Some facilities are captive sites.
- (3) All facilities are captive sites.
- (4) Incinerators designed to accept at least 10 tons per day.

B. Processing Facilities

Solid Waste Incinerators (4)	3
• Municipal	1
• Industrial ⁽³⁾	1
• Hospital	1
Transfer Stations	57
 Privately Owned 	42
• Publicly Owned	15
TOTAL	60

A. Landfills

Type	Acceptable Wastes	Data reported to IDEM					
Municipal Solid Waste Landfill	Municipal waste, construction-demolition debris, special wastes, industrial wastes, other non-municipal wastes	Yes					
Construction-Demolition Site	Construction-demolition debris only (unless otherwise approved by IDEM)	Yes					
Restricted Waste Landfill	Non-municipal waste(s) specified in permit	Yes					
Nonmunicipal Solid Waste	Wastes other than residential and commercial	Yes					

B. Incinerators

Туре	Acceptable Wastes	Data reported to IDEM
Large solid waste	Municipal waste, construction-demolition debris, special wastes, industrial wastes, other non-municipal wastes	Yes
Small solid waste ⁽¹⁾	Municipal waste, construction-demolition debris, special wastes, industrial wastes, other non-municipal wastes	No
Large infectious waste	Infectious waste (may also accept certain non-infectious waste)	Yes
Small infectious waste ⁽²⁾	Infectious waste (may also accept certain non-infectious waste)	No

- (1) Incinerators designed to accept less than 10 tons per day (329 IAC 11-19-2).
- (2) Incinerators designed to accept less than 7 tons per day (329 IAC 11-19-2).

Table 4. Types of Landfills and Incinerators

Restricted waste landfills can accept only materials specified in their landfill permits as determined by the classification criteria in 329 IAC 10-9-4. Coal combustion by-products comprise the largest portion of the waste tonnage disposed at restricted waste landfills.

Like restricted waste sites, **nonmunicipal solid waste landfills** can accept only materials specified in their landfill permits. But nonmunicipal solid waste landfills have more stringent design standards than restricted waste sites. All of Indiana's nonmunicipal solid waste landfills are currently captive facilities and therefore, are not available for public use.

In addition to the facility standards discussed here, each individual site may dispose of other materials not included in the above definitions according to their individual permits.

Processing Facilities

The term *incinerator* is broadly defined as an engineered facility designed for the burning of solid waste under controlled conditions. As Table 4 shows, incinerators in Indiana are categorized and regulated as either **solid waste incinerators** or **infectious waste incinerators**.

Solid waste incinerators with a design capacity of at least 10 tons per day and infectious waste incinerators with a design capacity of at least 7 tons per day must obtain a solid waste permit under Indiana solid waste rules 329 IAC 11-9 and 329 IAC 11-17. Other incinerators must notify IDEM and comply with certain operational requirements as stated in 329 IAC 11-19-2 and are deemed to be permitted.

Although incinerators are permitted and regulated under the category of processing facilities, they are considered to be final disposal facilities for planning and disposal fee purposes, as evident in statutory language. The disposal reduction goal language of P.L. 10-1990 also categorizes incineration as a final disposal method.

A **transfer station** is a facility at which solid waste is transferred from a vehicle or container to another vehicle or container for transportation purposes (329 IAC 11-2-47). Transfer stations may manage materials in other ways according to their individual permits. For example, activities at a permitted transfer station may involve only the consolidation of waste loads for further transport, or may also incorporate some form of materials recovery, during which recyclables are segregated for recycling or reuse.

Tire, paper, and medical waste processing sites also are defined as processing facilities by statute, however, no such facilities were in operation during 1999.

Accuracy of Facility Reports


IDEM conservatively estimates that municipal solid waste tonnages may be over-reported by 20 to 40 percent due to some loads of municipal solid waste being mixed with nonmunicipal solid waste, yet identified only as municipal solid waste. According to studies in other states, construction-demolition wastes alone can constitute as much as one-third of municipal solid waste. The portion of municipal

solid waste that is actually special/other waste is unknown. Because of these uncertainties, caution should be used when attempting to draw conclusions regarding exact tonnages of particular waste types.

Municipal Solid Waste Landfill Ownership

Since the facility quarterly report program began in 1991, more of Indiana MSW landfills have been privately-owned than publicly-owned (Table 3). Figure 2 shows the percentages of private and public ownership of MSW landfills in 1998.

Figure 2. Municipal Solid Waste Landfill Ownership by Percent during 1999



Most construction-demolition and restricted waste sites are privately owned. About three-fourths of Indiana's transfer stations and other permitted processing facilities are privately owned.

Origin of Waste

Origin of waste can be broken down by state and by county. A discussion of out-of-state waste is provided beginning on page 25.

Determination of the point of origin of waste by county is difficult due to the manner in which waste is collected and transported to landfills. Waste collection vehicles may transport the waste directly to a landfill and the hauler will report to the landfill operator the county of origin. If the waste collection routes include more than one county as points of origin, the hauler is required to report an estimated percentage of waste for each county to the landfill owner/operator. Furthermore, IDEM guidance instructs land disposal facilities to list the origin of waste received from transfer stations as the county in

Waste is Collected from Single or Multiple Sources

Transfer Station

Waste which is delivered from single or multiple trucks, from single or multiple trucks, from single or multiple counties, and may be commingled before it is sent to the next destination

Recycling or Processing Facility

Figure 3. Waste Disposal Pathways

which the transfer station is located. The extent to which this actually occurs, however, is unknown.

Some waste collection vehicles transport waste to a transfer station, where the hauler is required to report the county (or counties) of origin. The waste received at the transfer station may be commingled with waste from other waste collection vehicles. All or part of the commingled waste may then go to one or more landfills, incinerators, transfer stations, or recycling/processing facilities, where the origin typically is reported as being the county in which the transfer station is located. Figure 3 illustrates the variety of paths that waste can take after it is collected.

In summary, the county identified on some quarterly reports may not be the point of origin, but in fact a transfer point for the waste before it is delivered to the landfill. Table 5 lists estimated amounts disposed at Indiana facilities by county of origin.

Table 5. Waste Tons Disposed in Indiana¹, by Estimated County of Origin

Table 5 is temporarily unavailable.



Table 5 is temporarily unavailable.

SOLID WASTE LAND DISPOSAL FACILITIES

The data in this annual summary reflects the information provided in the solid waste facility quarterly reports as submitted to IDEM. There may be some differences between the numbers published in this summary report and previously published annual reports. The differences primarily are due to improvements in the data quality checks made by IDEM Office of Land Quality.

Table 6 displays the amount of solid waste disposed at Indiana land disposal facilities by each reported waste type during 1999. Figure 4 displays this information by landfill type, and Figure 5 by waste type. Table 7 displays similar information from 1991 through 1999 for municipal and nonmunicipal waste. Table 8 shows waste reported to originate from Indiana only. Waste received at solid waste incinerators is discussed on page 21 in the chapter on processing facilities.

Table 6. Disposal of Solid Waste by Landfill Type and Waste Type during 1999

	Tons of Waste Disposed						
Waste Type	Municipal Solid Waste Landfills	Solid Waste Demolition		Nonmunicipal Solid Waste Landfills	All Landfills		
Municipal	6,793,153	0	0	0	6,793,153		
C/D	824,168	215,948	5,200	0	1,045,316		
Foundry	121,956	0	750,662	0	872,618		
Other Special	1,831,677	4,466	99,526	51,804	1,987,473		
Coal Ash	168,152	0	672,483	0	840,635		
FGD Waste	0	0	1,842,536	0	1,842,536		
Other NonMSW	210,013	0	0	19,327	229,340		
TOTAL	9,949,119	220,414	3,370,407	71,131	13,611,071		

Figure 4. Disposal of Solid Waste by Landfill Type during 1999




Figure 5. Disposal of Solid Waste by Waste Type during 1999




Table 7. Annual Disposal at Solid Waste Land Disposal Facilities by Landfill Type and Waste Type

(Includes waste imports to Indiana)


Landfill	Waste	Tons of Waste Disposed								
Type	Type	1991	1992	1993	1994	1995	1996	1997	1998	1999
Municipal	MSW	5,917,315	6,435,161	5,439,663	5,404,144	5,457,806	6,182,558	6,957,586	7,261,741	6,793,153
Solid Waste	NonMS W	1,479,025	1,919,670	1,966,400	1,820,831	2,277,228	2,503,407	2,898,111	3,202,747	3,155,966
Landfills	TOTAL	7,396,340	8,354,831	7,406,063	7,224,975	7,735,034	8,685,965	9,855,697	10,464,488	9,949,119
Construction/	MSW	0	0	0	0	0	0	0	0	(
Demolition	NonMS W	113,224	120,502	146,491	156,718	144,773	212,448	187,725	192,713	220,414
Sites	TOTAL	113,224	120,502	146,491	156,718	144,773	212,448	187,725	192,713	220,414
Restricted	MSW	0	0	0	0	0	0	0	0	(
Waste	NonMS W	3,200,387	3,272,803	3,152,091	3,431,672	3,828,695	3,824,287	3,740,680	4,689,484	3,370,407
Landfills	TOTAL	3,200,387	3,272,803	3,152,091	3,431,672	3,828,695	3,824,287	3,740,680	4,689,484	3,370,407
Nonmunicipal	MSW	2,300	2,636	3,289	2,818	3,695	3,056	2,819	1,643	(
Solid Waste	NonMS W	80,513	65,314	33,429	34,988	33,359	28,355	34,123	44,366	71,131
Landfills	TOTAL	82,813	67,950	36,718	37,806	37,054	31,411	36,942	46,009	71,131
All Landfills	MSW	5,919,615	6,437,797	5,442,952	5,406,962	5,461,501	6,185,614	6,960,405	7,263,384	6,793,153
	NonMS W	4,873,149	5,378,289	5,298,411	5,444,209	6,284,055	6,568,497	6,860,639	8,129,310	6,817,918
	TOTAL	10,792,764	11,816,086	10,741,363	10,851,171	11,745,556	12,754,111	13,821,044	15,392,694	13,611,071

Table 8. Annual Disposal at Solid Waste Land Disposal Facilities by Landfill Type and Waste Type

(Excludes waste imports to Indiana)

Landfill	Waste				Tons of	f Waste D	isposed			
Type	Type	1991	1992	1993	1994	1995	1996	1997	1998	1999
Municipal	MSW	4,555,613	4,786,065	4,746,814	4,903,029	4,616,681	4,661,109	4,856,749	5,103,908	5,318,629
Solid Waste	NonMSW	1,388,449	1,724,787	1,837,649	1,785,798	2,194,894	2,191,770	2,359,467	2,546,711	2,563,698
Landfills	TOTAL	5,944,062	6,510,852	6,584,463	6,688,827	6,811,575	6,852,879	7,216,216	7,650,619	7,882,327
Construction/	MSW	0	0	0	0	0	0	0	0	0
Demolition	NonMSW	113,224	120,502	146,491	153,421	137,998	135,050	148,257	163,479	197,316
Sites	TOTAL	113,224	120,502	146,491	153,421	137,998	135,050	148,257	163,479	197,316
Restricted	MSW	0	0	0	0	0	0	0	0	0
Waste	NonMSW	3,200,387	3,272,803	3,152,091	3,431,672	3,828,695	3,824,287	3,740,680	4,689,484	3,370,407
Landfills	TOTAL	3,200,387	3,272,803	3,152,091	3,431,672	3,828,695	3,824,287	3,740,680	4,689,484	3,370,407
Nonmunicipal	MSW	2,300	2,636	3,289	2,818	3,695	3,056	2,819	1,643	0
Solid Waste	NonMSW	80,513	65,314	33,429	34,988	33,359	28,355	34,123	41,962	49,300
Landfills	TOTAL	82,813	67,950	36,718	37,806	37,054	31,411	36,942	43,605	49,300
All Landfills	MSW	4,557,913	4,788,701	4,750,103	4,905,847	4,620,376	4,664,165	4,859,568	5,105,551	5,318,629
	NonMSW	4,782,573	5,183,406	5,169,660	5,405,879	6,194,946	6,179,462	6,282,527	7,441,636	6,180,721
	TOTAL	9,340,486	9,972,107	9,919,763	10,311,726	10,815,322	10,843,627	11,142,095	12,547,187	11,499,350

Figure 6. Annual Disposal at All Solid Waste Land Disposal Facilities





Municipal Solid Waste Landfills

Most questions about land disposal facilities deal primarily with municipal solid waste (MSW) landfills. MSW landfills receive waste materials from residences, businesses, institutions, and industries. As a result of the wide range of waste types these landfills receive, they are built to a more stringent landfill design criteria than, for example, a construction-demolition site that accepts only construction-demolition wastes. Note that Figure 9

shows the disposal of out-of-state waste vs. Indiana waste at MSW landfills. A more detailed discussion of out-of-state waste is provided beginning on page 25.

Figure 10 shows the distribution of disposal among MSW landfills. Notice that about one third (34%) of MSW landfills accepted less than 100,000 tons of solid waste.

Table 9 summarizes total disposal at individual MSW landfills during 1999. More detailed disposal data for all solid waste disposal facilities is given at the end of this report in "1999 Solid Waste Facility Profiles."

Figure 7. Disposal of Solid Waste at Municipal Solid Waste Landfills by Waste Type during 1999




Figure 8. Annual Disposal at Municipal Solid Waste Landfills







Figure 9. Annual Disposal at Municipal Solid Waste Landfills by Waste Origin



Waste Disposal in Tons 600,000 900,000 1,200,000 1,500,000 300,000 0 Cumulative Percent of Total Disposalat Municipal Solid Waste Landfills (9,949,119 tons) Newton County Landfill Twin Bridges RDF 24% of (or 9) County Line Landfill landfills Macbeth Road Landfill disposed of Southside Landfill 62% of the Deercroft RDF waste Oak Ridge RDF Wabash Valley Landfill Earthmovers Landfill Laub scher Me adows Landfill Jay County Landfill Blackfoot Landfill The remaining Victory Environmental Landfill 76% of (or 29) Prairie View RDF landfills Worthington Landfill disposed of Medora Sanitary Landfill 38% of the Midwest Disposal Landfill Belmont Ash Landfill waste. Kosciusko Landfill Clark-Floyd Landfill Randolph Farms Landfill Minster Landfill Caldwell Landfill Liberty Landfill Elkhart County Landfill Decatur Hills Landfill Bartholomew County Landfill II New Paris Pike Landfill United Refuse Landfill Hayes Landfill Huntington City Landfill Monroe County Landfill Washington County Landfill Daviess County Landfill West Clinton Landfill Bartholomew County Landfill Crane NSWC Landfill Sullivan County Landfill 40% 0% 20% 60% 80% 100% 120% Cumulative Percent of Total Disposal Cumulative Percent of Total Disposal (Y1) | Waste Disposal (Y2)

Figure 10. Distribution of Disposal at Municipal Solid Waste Landfills during 1999

Table 9. Total Disposal at Municipal Solid Waste Landfills During 1999


County Location of Facility	Facility Name	Waste Disposal in Tons	# of Operating Days	Disposal Per Operating Day
Allen	Macbeth Road Landfill	628,336	305	2,060
Allen	United Refuse Landfill	67,659	155	437
Bartholomew	Bartholomew County Landfill	8,370	38	220
Bartholomew	Bartholomew County Landfill II	68,261	279	245
Cass	Oak Ridge Recycling and Disposal Facility	406,034	310	1,310
Clark	Clark-Floyd Landfill	143,953	306	470
Clinton	Midwest Disposal Landfill	175,023	311	563
Daviess	Daviess County Landfill	14,269	304	47
Decatur	Decatur Hills Landfill	94,255	308	306
Elkhart	Earthmovers Landfill	385,067	294	1,310
Elkhart	Elkhart County Landfill	96,742	284	341
Fulton	County Line Landfill	807,409	309	2,613
Greene	Worthington Landfill	250,204	310	807
Hendricks	Twin Bridges Recycling and Disposal Facility	1,014,911	312	3,253
Henry	Hayes Landfill	58,469	307	190
Huntington	Huntington City Landfill	25,778	300	86
Jackson	Medora Sanitary Landfill	176,513	287	615
Jay	Jay County Landfill	342,429	303	1,130
Kosciusko	Kosciusko Landfill	157,251	309	509
Lake	Munster Landfill	126,396	258	490
La Porte	Deercroft Recycling and Disposal Facility	544,913	305	1,787
Marion	Southside Landfill	588,720	310	1,899
Marion	Belmont Ash Landfill	166,448	312	533
Martin	Crane Naval Surface Warfare Center Landfill	4,681	246	19
Monroe	Monroe County Landfill	24,368	307	79
Newton	Newton County Landfill Partnership	1,416,299	308	4,598
Pike	Blackfoot Landfill	334,568	311	1,076
Randolph	Randolph Farms Landfill	141,739	311	456
St. Joseph	Prairie View Recycling and Disposal Facility	276,201	309	894
Shelby	Caldwell Landfill	107,270	310	346
Sullivan	Sullivan County Landfill	707	224	3
Vanderburgh	Laubscher Meadows Landfill	366,379	310	1,182
Vermillion	West Clinton Landfill	11,464	283	41
Vigo	Victory Environmental Landfill	328,065	308	1,065
Wabash	Wabash Valley Landfill	402,547	310	1,299
Washington	Washington County Landfill	19,124	305	63
Wayne	New Paris Pike Landfill	67,719	248	273
White	Liberty Landfill	100,578	91	1,105
Total for all M	unicipal Solid Waste Landfill	9,949,119		

Other Solid Waste Land Disposal Facilities

Construction-Demolition Sites

Construction-demolition sites receive a limited range of wastes, as specified in the facility permit. They represent a relatively small amount of the total waste disposed in Indiana, as shown previously in Figure 4. In the early 1990's, construction-demolition sites did not receive a significant amount of out-of-state waste, as shown in Figure 11. In 1996, however, the amount of out-of-state waste received at construction-demolition sites increased from 5 to 36 percent. Lower percentages of outof-state C/D waste were received by construction-demolition sites

Figure 11. Annual Disposal at Construction-Demolition Sites by Waste Origin (1)



between 1997 and 1999. Table 10 provides a listing of the construction-demolition landfills and the total amount of waste each facility received in 1999.

Table 10. Total Disposal at Construction-Demolition Sites during 1999

County Location of Facility	Facility Name	Waste Disposal In Tons
Allen	M & M C/D Site	167
Elkhart	Warner & Sons Inc. C/D Site	70,623
Lake	Feddeler C/D Site (1)	47,002 (1)
Madison	Industrial Removal C/D Site	12,123
Marion	Dorsey Paving C/D Site	5,316
Monroe	Monroe County SWMD C/D Landfill	17,560
Pike	Velpen Solid C/D Site	18,669
Posey	Springfield Environmental C/D Site	28,094
Tippecanoe	Purdue University C/D Site	2,538
Vermillion	West Clinton II C/D Site	7,285
Wayne	New Paris Pike C/D Site	11.037
Total for All Construction-De	220,414 (1)	


⁽¹⁾ Incomplete data: Feddeler C/D Site did not submit a fourth quarter report to IDEM .

Restricted Waste Landfills

Restricted waste landfills also receive a limited range of wastes, as specified in the facility permit. Most sites are ash, sludge, or foundry monofills. A large number of the landfills are monofills that receive coal combustion wastes from power plants.

These coal combustion wastes accounted for 75 percent of the total tonnage disposed at restricted waste landfills in 1999 (Figure 12). Note that prior to 1996, coal combustion wastes were not individually reported waste types on the solid waste facility quarterly reporting program. Before 1996, the amount of coal-related wastes disposed was

Figure 12. Annual Disposal at Restricted Waste Landfills by Waste Type



estimated based on the amount of waste received at specific types of restricted waste sites related to coal combustion.

The total waste disposed each year in restricted waste landfills is much larger than the amount received at construction-demolition landfills, although not as large as the amount of waste received by municipal solid waste landfills (Figure 4).

Table 11. Total Disposal at Restricted Waste Landfills during 1999 (1)

County Location of Facility	Facility Name	Waste Disposal In Tons		
Bartholomew	City Garage Site RWS 3	79,401		
De Kalb	Auburn Foundry RWS 3 (1)	19,112 (1)		
Fountain	Harrison Steel Cast RWS 3	31,949		
Gibson	Gibson Station Scrubber RWS 2	914,993		
Jasper	Schahfer FGD Sludge RWS 1	141,118		
Jefferson	Clifty Creek Coal Ash Disposal RWS 3	54,248		
Knox	Scepter Industries RWS 1	1,560		
Kosciusko	Dalton Foundry RWS 3	135,025		
Lake	U.S. Steel - Gary Works RWS 1	323,787		
Noble	Newman Manufacturing RWS 3	52,979		
Perry	Waupaca Foundry RWS 3	125,301		
Pike	Petersburg Generating Station RWS 3	92,311		
Porter	Yard 520 RWS 3	695		
Posey	SIGECO Filter Cake Disposal RWS 3	276,220		
Posey	McCarty RWS 3	23,555		
Spencer	Rockport Plant Ash RWS 2	128,391		
Sullivan	Merom Station RWS 2	889,724		
Wabash	Ford Meter Box RWS 3	3,012		
Wabash	Wabash Alloys RWS 1	77,026		
Total for All Restricted Waste La	Total for All Restricted Waste Landfills (1):			

⁽¹⁾ **Incomplete data**: Auburn Foundry did not submit quarterly reports to IDEM for first, third and fourth quarters.

18

No restricted waste landfills have reported receiving out-of-state waste since 1991. Table 11 provides a listing of the restricted waste landfills and the total amount of waste each facility received during 1999.

Nonmunicipal Solid Waste Landfills

The 1996 rules introduced the terms municipal solid waste (MSW) landfill and nonmunicipal solid waste (NonMSW) landfill, which have been used throughout this report. In previous reports, NonMSW landfills were grouped with MSW landfills under the general heading of "sanitary landfills." MSW landfills were discussed earlier in this section. There are only a few NonMSW landfills in Indiana and currently all are captive facilities and therefore, are not available for public use. Table 12 provides a listing of the nonmunicipal solid waste landfills and the total amount of waste each facility received during 1999.

Table 12. Total Disposal at Nonmunicipal Solid Waste Landfills during 1999

County Location of Facility	Facility Name	Waste Disposal In Tons
Monroe	Dillman Road WWTP Landfill	11,133
Putnam	Heritage Landfill	35,034
Vermillion	Inland Container Nonmunicipal Solid Waste LF	11,946
Warrick	ALCOA Sanitary Landfill	13,018
Total for All Nonmunicipal Soli	71,131	

This page left intentionally blank.

SOLID WASTE PROCESSING FACILITIES

Solid waste processing facilities include:

- # solid waste incinerators:
- # transfer stations; and
- # other processing facilities.

Table 13 displays the amount of solid waste received by permitted Indiana incinerators (excluding small incinerators) and transfer stations by each reported waste type during 1999. Table 14 displays similar information from 1991 through 1999 for municipal and nonmunicipal waste. More detailed data for all solid waste processing facilities is given at the end of this report in "1999 Solid Waste Facility Profiles." Other processing facilities are discussed later in this section.

Table 13. Solid Waste Received by Processing Facilities by Waste Type during 1999

Waste	Tons of Waste Disposed				
Type	Incinerators ¹	Transfer Stations			
Municipal	669,718	1,929,141			
C/D	0	461,475			
Foundry	0	0			
Other Special	27,901	0			
Coal Ash	0	0			
FGD Waste	0	0			
Other NonMSW	0	11,762			
TOTAL	697,619	2,402,378			

Table 14. Annual Amount of Solid Waste Received by Processing Facility Type and Waste Type

(Includes waste imports to Indiana)

Facility	Waste		Tons of Waste Received							Tons of Waste Receive						
Type	Type	1991	1992	1993	1994	1995	1996	1997	1998	1999						
Incinera-	MSW	672,616	691,546	731,929	687,198	682,249	689,859	681,147	670,380	669,718						
tors ¹	NonMSW	23,672	34,858	33,736	21,198	22,439	22,839	28,183	25,552	27,901						
	TOTAL	696,288	726,404	765,665	708,396	704,688	712,698	709,330	695,932	697,619						
Transfer	MSW	774,589	873,466	981,681	1,210,393	1,409,747	1,434,712	1,522,361	1,735,021	1,929,141						
Stations	NonMSW	139,886	188,653	232,438	206,450	184,807	291,183	404,897	475,363	473,237						
	TOTAL	914,475	1,062,119	1,214,119	1,416,843	1,594,554	1,725,895	1,927,258	2,210,384	2,402,378						

Solid Waste Incinerators

For reporting and permitting purposes, solid waste incinerators are regarded as processing facilities. For solid waste planning and fee purposes, incinerators are considered as final disposal facilities. Table 15 provides a list of the permitted solid waste incinerators which operated in 1999 and the total amount of solid waste received by these facilities. The list does not include more than 200 small-capacity incinerators currently operating and deemed permitted in Indiana.

 $^{^{1}}$ Does not include incinerators receiving less than 10 tons/day of solid waste, or less than 7 tons/day of infectious waste.

Table 15. Total Waste Received at Incinerators during 1999

(does not include hospital incinerators)

County Location of Facility	Facility Name	Waste Received In Tons
Marion	Ogden-Martin Systems of Indianapolis	671,070
Marion	St. Vincent Hospital Incinerator	2,129
Posey	General Electric Ultem Thermal Oxidizer System	24,420
Total for All Incinerators:		697,619

As Table 15 shows, Ogden-Martin Systems of Indianapolis received the greatest amount of waste of any permitted incinerator. The tonnage received annually at this facility is roughly equivalent to 4 percent of the total tonnage of waste either land disposed or incinerated in Indiana. From the waste received by the Ogden-Martin Systems of Indianapolis during 1999, there were about 167,000 tons of ash produced and delivered to the Belmont Ash Landfill for disposal.

Transfer Stations

Transfer stations are facilities that allow waste from individual collection vehicles to be offloaded and then reloaded into larger vehicles for transport to final disposal facilities. Some transfer stations recover recyclable materials to be sent to processing or recycling facilities.

The accountability for differences in incoming and outgoing waste at transfer stations has improved over the years. Although for the first few years of quarterly reporting there was no mechanism to track such differences, reporting forms have been improved since to include material recovery. Facilities are also required to submit a written explanation if the difference in tonnages is due to a reason other than materials recovery. In most instances, differences in incoming and

Figure 13. Transfer Station Waste Management




Table 16. Destination of Waste Sent from Transfer Stations for Final Disposal

Year	Total Tons Sent	To Indiana Facilities		To Out-of-Stat	e Facilities	
To All Facilities		Tonnage % of Total		Tonnage	% of Total	
1991	821,417	770,609	94%	50,808	6%	
1992	987,797	971,031	98%	16,766	2%	
1993	1,161,036	1,107,576	95%	53,460	5%	
1994	1,347,550	1,200,340	89%	147,210	11%	
1995	1,547,478	1,372,298	89%	175,180	11%	
1996	1,683,462	1,512,391	90%	171,071	10%	
1997	1,891,568	1,684,731	89%	206,837	11%	
1998	2,136,790	1,923,947	90%	212,843	10%	
1999	2,308,549	2,087,756	90%	220,793	10%	

outgoing tonnages are the result of materials recovery or differences in volume-to-tons conversions.


As discussed on page 7, it is difficult to track the true origin of waste. Waste collection vehicles may transport the waste directly to a landfill or they may take waste to a transfer station. A landfill receiving waste from a transfer station is instructed to document the waste as originating from the county in which the transfer station is located, regardless of whether any of the waste was generated in that county. The issue is further complicated when the transfer station receives waste from two or more counties, mixes the loads in a central location, removes various recyclables, then transports the waste to two or more landfills, another transfer station and/or a recycling facility. Figure 13 illustrates how the tonnage received from the counties may be known, but the waste sent for final disposal or processing may not directly identify the point of origin.

Quarterly reports from transfer stations currently provide the only source of systematic information on the

amount of waste exported by Indiana. Table 16 shows the amount of waste sent out-of-state from transfer stations as compared to the amount of waste sent to Indiana final disposal facilities during 1991 to 1999. Figure 14 shows a more detailed breakdown of the destination information for 1999. This information does not provide a complete picture of Indiana waste exports, because the totals in Table 16 are based only on information obtained from processing facility quarterly reports. The amount of waste hauled directly from an Indiana residence or business to an out-of-state destination is not adequately known due to reporting limitations.

More detailed data for transfer stations is given at the end of this report in "1999 Solid Waste Facility

Figure 14. Destination of Waste Sent from Transfer Stations during 1999



Profiles."

Other Processing Facilities

Other processing facilities permitted by IDEM could include paper, and medical waste processing facilities. None of the facilities operating during 1999 could be classified under this other category.

IDEM issues permits to any solid waste processing facility upon which is located a solid waste incinerator, transfer station, solid waste baler, solid waste shredder, resource recovery system, composting facility or garbage grinding facility (as defined in 329 IAC 11-2-43, unless excluded by 329 11-3-1).

OUT-OF-STATE WASTE

Solid waste imported to Indiana from out-of-state sources can be received at landfills, incinerators, or transfer stations. The following discussion focuses on data for all facilities which have received out-of-state waste, with the exception of paper, tire, and medical processing facilities. Historically, these three types of processing facilities have received only small amounts of out-of-state waste, and therefore are not included in the following discussion. In addition, no paper, tire or medical processing facility operated in Indiana during 1999.

Since 1992, the predominant states of origin for solid waste imports have been the four contiguous states (Illinois, Michigan, Ohio, and Kentucky). As Figure 15 shows, the portion of out-of-state waste originating from non-contiguous states has decreased dramatically since 1991, and by 1995 accounted for less than 1 percent of Indiana's total imports. In 1999, no waste was received from East Coast states for the first time since the implementation of facility quarterly reports. Figure 15 also shows that despite a significant drop in the amount of out-of-state waste received by Indiana facilities from 1992 to 1994, waste imports increased significantly in 1995 and doubled in 1996. Out-of state waste received by Indiana facilities increased further from 1996 to 1998 by 32 percent to their highest level in the last seven years (almost 2.9 million tons). This increasing trend did not continue into 1999, when out-of-state waste received by Indiana facilities decreased. In 1999, out of state waste accounted for 15 percent of the waste disposed at all of Indiana's landfills and 21 percent of the waste disposed in MSW landfills.




Figure 15. Annual Waste Imports by Region of Origin

Table 17. Out-of-State Waste Received during 1999

#State	Tons		Total Tons.	2,147,830	
County Name	Received				
#Illinois	1,779,180	Harding	55	Williams	66
Champaign	187	Henderson	59,451	#Michigan	37,021
Clark	1,433	Jefferson	11,308	Berrien	3,190
Coles	2	Meade	8	Branch	21,774
Cook	1,741,955	Mercer	83	Cass	5,534
Crawford	11,977	#Ohio	151,614	Genesee	12
Du Page	916	Allen	8	St. Joseph	6,511
Edgar	4,459	Auglaize	981	#Wisconsin	1,274
Jasper	17	Cuyahoga	395	Milwaukee	961
Kankakee	3,597	Darke	42,306	Winnebago	313
Lawrence	544	Defiance	22	#Missouri	1,935
Marion	7	Franklin	130	Jackson	1,281
Richland	19	Hamilton	21,623	St. Louis	654
Гazewell	50	Mercer	517	#California	93
UNKNOWN	23	Miami	69,242	Los Angeles	93
Vermilion	288	Montgomery	469	#Kansas	60
Wabash	4,222	Paulding	1,182	Doniphan	60
White	6	Preble	117	#Nevada	155
Will	9,478	Shelby	68	Storey	155
#Kentucky	176,376	Summit	205	#Texas	122
Daviess	105,431	UNKNOWN	4	Bexar	122
Fayette	40	Van Wert	14,279		

Table 17 details the state origin and amount of out-of-state waste received at Indiana solid waste facilities during 1999. Figure 16 shows this information from 1991 through 1999. Illinois has been historically the largest source of waste imported to Indiana. In 1999, Illinois waste accounted for 83 percent of the out-of-state received by Indiana solid waste facilities. Nearly all of that waste came from the Chicago area.

Table 18 displays the amount of out-of-state waste received by Indiana's permitted solid waste facilities by each reported waste type during 1999. Table 19 displays similar information from 1991 through 1999 for municipal and nonmunicipal waste. MSW landfills have consistently received most of the waste imported from other states. Figure 17 shows that municipal solid waste has historically accounted for the largest percentage of waste imports. However, nonmunicipal waste imports have risen considerably since 1995.

Figure 18 shows the distribution of the disposal of out-of-state waste among Indiana land disposal facilities. As Figure 18 shows, a relatively few number of facilities disposed of the majority of imported waste. Of the twenty-four final disposal facilities (23 landfills and 1 incinerator) that received out-of-state waste during 1999, 16% of the landfills disposed of four-fifths of the imported waste. In addition, almost all of the imported waste received by these four facilities was from Illinois.




Table 18. Amount of Out-of-State Waste Received by Solid Waste Facilities by Facility Type and Waste Type during 1999

		0 01		V1 C						
	Tons of Waste Disposed									
Waste Type	Municipal Solid Waste Landfills	Construction/ Demolition Landfills	Non-MSW Landfills	Incinerators ¹	Transfer Stations ¹	All Facilities				
Municipal	1,474,524			11,603	22,520	1,508,647				
C/D	220,928	23,098			423	244,449				
Foundry	1,175					1,175				
Other Special	365,503		21,831	1,303		388,637				
Coal Ash						0				
FGD Waste						0				
Other NonMSW	4,662				260	4,922				
TOTAL	2,066,792	23,098	21,831	12,906	23,203	2,147,830				

 $^{^{1}}$ No processing facilities other than transfer stations and incinerators received out-of-state waste during 1999.

Table 20 summarizes the annual amount of out-of-state waste received by Indiana's solid waste facilities during 1999. Table 21 provides a detailed look at the amount of waste that these facilities received from each state.

Although Indiana imports a considerable amount of solid waste, it also exports waste, primarily to contiguous states. A brief discussion of waste exports was provided in the previous section on solid waste processing facilities (see page 22).

"1999 Solid Waste Facility Profiles" at the end of this report provides more detailed summaries of waste imports to landfills, incinerators, and transfer stations.

Figure 17. Annual Amount of Out-of-State Waste Received by Solid Waste Facilities




Table 19. Annual Amount of Out-of-State Waste Received by Solid Waste Facilities by Facility Type and Waste Type

	racinities by racinity Type and Waste Type									
Landfill	Waste				Tons of	Waste D	isposed			
Type	Type	1991	1992	1993	1994	1995	1996	1997	1998	1999
Municipal	MSW	1,361,702	1,649,096	692,849	501,115	841,125	1,521,449	2,100,837	2,157,833	1,474,524
Solid Waste	NonMSW	90,576	194,883	128,751	35,033	82,334	311,637	538,619	656,036	592,268
Landfills ⁽¹⁾	TOTAL	1,452,278	1,843,979	821,600	536,148	923,459	1,833,086	2,639,456	2,813,869	2,066,792
Construction/	MSW	0	0	0	0	0	0	0	0	0
Demolition	NonMSW	0	0	0	3,297	6,775	77,398	39,468	29,234	23,098
Sites	TOTAL	$\overline{}$	$\overline{}$	0	3,297	6,775	77,398	39,468	29,234	23,098
Nonmunicipal	MSW	0	0	0	0	0	0	0	0	0
Solid Waste	NonMSW	0	0	0	0	0	0	0	2,404	21,831
Landfills	TOTAL	$ \frac{1}{0}$	$\overline{}$	0	0	0	$\overline{}$	$\overline{}$	2,404	2,404
Incinerators	MSW	412	2,488	1,119	2,409	2,560	7,777	5,228	5,488	11,603
(nonhospital)	NonMSW	483	270	0	0	171	599	855	1,505	1,303
	TOTAL	895	2,758	1,119	2,409	2,731	8,376	6,083	6,993	12,906
Transfer	MSW	24,383	19,454	18,118	26,898	24,202	22,604	10,448	17,988	22,520
Stations ⁽²⁾	NonMSW	65	27	367	640	6,621	604	519	737	683
	TOTAL	24,448	19,481	18,485	27,538	30,823	23,208	10,967	18,725	23,203
All	MSW	1,386,497	1,671,038	712,086	530,422	867,887	1,551,830	2,116,513	2,181,309	1,508,647
Facilities	NonMSW	91,124	195,180	129,118	38,970	95,901	390,238	579,461	689,916	639,183
	TOTAL	1,477,621	1,866,218	841,204	569,392	963,788	1,942,068	2,695,974	2,871,225	2,147,830

⁽¹⁾ This reflects only the tonnages of out-of-state waste shipped directly to MSW landfills. Most of the out-of-state waste received by transfer stations was sent to Indiana MSW landfills for final disposal. However, these MSW landfills reported the origin of this out-of-state waste as the county in which the transfer station was located, rather than the state in which the waste originated, in accordance with IDEM guidance.

⁽²⁾ Between 1991 and 1996, the majority of this waste was sent to Indiana final disposal facilities. In 1997, 30% of out-of-state waste received by Indiana facilities was sent to either MI or KY facilities for disposal. In 1998, 45% was sent out-of-state for disposal mostly to MI or KY. The transfer station exports decrease again in 1999, when 27% of out-of-state waste received (6,265 tons) was sent to other states, mostly KY.

Figure 18. Distribution of Disposal of Out-of-State Waste Received at Indiana Solid Waste Facilities during 1999





Table 20. Total Out-of-State Waste Received by Facility during 1999

County Location of Facility	Facility Name	Type of Facility	Tons of Out-of-State Waste Received
Allen	Macbeth Road Landfill	MSW Landfill	36,370
Allen	United Refuse Landfill	MSW Landfill	193
Clark	Bi-Co Transfer Station	Transfer Station	11,108
De Kalb	Merritt Processing Facility	Transfer Station	2
Elkhart	Earthmovers Landfill	MSW Landfill	10,802
Elkhart	Elkhart County Landfill	MSW Landfill	6
Fulton	County Line Landfill	MSW Landfill	310,795
Greene	Worthington Landfill	MSW Landfill	10,717
Harrison	Gray Disposal Service Transfer Station	Transfer Station	8
Hendricks	Twin Bridges Recycling & Disposal Facility	MSW Landfill	209
Jackson	Medora Sanitary Landfill	MSW Landfill	362
Jay	Jay County Landfill	MSW Landfill	112,026
Knox	Eastern Environmental Services	Transfer Station	18
Kosciusko	Kosciusko Landfill	MSW Landfill	138
La Porte	Deercroft Recycling and Disposal Facility	MSW Landfill	159,036
Lagrange	Scott Recycling & Transfer Station	Transfer Station	1,013
Lake	Feddeler C/D Site	Construction/Demolition Site	21,754
Lake	Illiana Transfer #1	Transfer Station	6,062
Lake	Illiana Transfer #2	Transfer Station	44
Lake	Illiana Transfer #4	Transfer Station	3
Lake	Munster Landfill	MSW Landfill	44,230
Marion	Ogden-Martin Systems of Indianapolis	Incinerator	12,906
Newton	Newton County Landfill Partnership	MSW Landfill	1,174,481
Noble	Kendallville Iron & Metal Transfer Station	Transfer Station	94
Pike	Blackfoot Landfill	MSW Landfill	109,547
Pike	Blackfoot Resource Recovery Facility	Transfer Station	260
Porter	Able Disposal Recycling and TS	Transfer Station	304
Putnam	Heritage Landfill	Non-MSW Landfill	21,831
Randolph	Randolph Farms Landfill	MSW Landfill	1,415
St. Joseph	Prairie View Recycling and Disposal Facility	MSW Landfill	50
Vanderburgh	Laubscher Meadows Landfill	MSW Landfill	55,483
Vanderburgh	Materials Recycling and Transfer Station	Transfer Station	3,966
Vermillion	West Clinton II C/D Site	Construction/Demolition Site	1,344
Vermillion	West Clinton Landfill	MSW Landfill	1,927
Vigo	Victory Environmental Landfill	MSW Landfill	4,716
Wayne	Rumpke Richmond Transfer Station	Transfer Station	321
White	Liberty Landfill	MSW Landfill	34,289
Total for All	Facilities		2,147,830

Figure 19. Origin of Waste Disposed and Incinerated in Indiana during 1999



County	Facility	Facility	Contiguous States				Other States						Total	ĺ
Name	Name	Type	IL	KŸ	MI	OH	CA	KS	MO	NV	TX	WI	Tons	
Allen	National Serv-All Landfill	MSW Landfill			21,733	14,637							36,370	1.69%
Allen	United Refuse Landfill	MSW Landfill				193							193	0.01%
Clark	Bi-Co Transfer Station	Transfer Station		11,108									11,108	0.52%
De Kalb	Merritt Processing Facility	Transfer Station			2								2	0.00%
Elkhart	Earthmovers Landfill	MSW Landfill			10,802								10,802	0.50%
Elkhart	Elkhart County Landfill	MSW Landfill			6								6	0.00%
Fulton	County Line Landfill	MSW Landfill	310,470		325								310,795	14.47%
Greene	Worthington Landfill	MSW Landfill	10,717										10,717	0.50%
Harrison	Gray Disposal Service Transfer Station	Transfer Station		8									8	0.00%
Hendricks	Twin Bridges RDF	MSW Landfill	209										209	0.01%
Jackson	Rumpke (Medora) Landfill	MSW Landfill		2		360							362	0.02%
Jay	Jay County Landfill	MSW Landfill				112,022							112,022	5.22%
Knox	Eastern Environmental Services	Transfer Station	18										18	0.00%
Kosciusko	Ransbottom Landfill	MSW Landfill	1		31	106							138	0.01%
Lake	Feddeler C/D Site	Construction/Demolition	21,754										21,754	1.01%
Lake	Illiana I Transfer Station	Transfer Station	6,062										6,062	0.28%
Lake	Illiana II Transfer Station	Transfer Station	44										44	0.00%
Lake	Illiana IV Transfer Station	Transfer Station	3										3	0.00%
Lake	Munster Landfill	MSW Landfill	44,230										44,230	2.06%
Lagrange	Scott Recycling Facility	Transfer Station			1,013								1,013	0.05%
La Porte	Deercroft RDF	MSW Landfill	155,661		2,769							606	159,036	7.40%
Marion	Indianapolis Resource Recovery Facility	Incinerator	8,613	198	12	1,110	93	60	1,875	155	122	668	12,906	0.60%
Newton	Newton County Landfill Partnership	MSW Landfill	1,174,481										1,174,481	54.68%
Noble	Kendallville Iron & Metal Trans. Station	Transfer Station			81	13							94	0.00%
Pike	Blackfoot RDF	MSW Landfill	3,968	105,579									109,547	5.10%
Pike	Blackfoot Resource Recovery Facility	Transfer Station	260										260	0.01%
Porter	Able Disposal Rec. & Trans. Station	Transfer Station	57		247								304	0.01%
Putnam	Heritage Landfill	Non-MSW Landfill	305	34		21,432			60				21,831	1.02%
Randolph	Randolph Farms Landfill	MSW Landfill				1,415							1,415	0.07%
St. Joseph	Prairie View RDF	MSW Landfill	50										50	0.00%
Vanderburgh	Laubscher Meadows Landfill	MSW Landfill		55,483									55,483	2.58%
Vanderburgh	Materials Rec. & Trans. Station	Transfer Station	2	3,964									3,966	0.18%
Vermillion	West Clinton II C/D Site	Construction/Demolition	1,344										1,344	0.06%
Vermillion	West Clinton Landfill	MSW Landfill	1,927										1,927	0.09%
Vigo	Victory Environmental Landfill	MSW Landfill	4,716										4,716	0.22%
Wayne	Richmond Transfer Station	Transfer Station				321							321	0.01%
White	Liberty Landfill	MSW Landfill	34,288			1							34,289	1.60%
Total for All Facilities			1,779,180	176,376	37,021	151,610	93	60	1,935	155	122	1,274	2,147,826	

Table 21. Out -of-State Waste Received by Indiana Solid Waste Facilities during 1999

IMPORTANT NOTE: Highlighted facilities have NOT submitted 4th quarter reports, data is incomplete